

<b>ROCKY MOUNTAIN REGION</b> <b>ENDANGERED, THREATENED, PROPOSED, AND SENSITIVE SPECIES</b>	
<i>Updated to reflect current ESA listing status and latest Regional Forester sensitive species list</i>	
<p><b>NOTE:</b> Sensitive species are designated by the Regional Forester for the Region, not for individual national forests or grasslands. Agency policy and direction for management of sensitive species and their habitat apply wherever the species occurs. It is the responsibility of the Forest Supervisors to “Determine distribution, status, and trend of threatened, endangered, proposed, and sensitive species and their habitats on Forest lands” (FSM 2670.45). This matrix captures our best, but still incomplete, understanding of where these species are known or likely to occur. Occurrence information can be updated at any time based on new information. Requests for updates can be made currently through Peter McDonald (x5029).</p>	
<p><b>KEY</b></p> <p>BIGH - Bighorn National Forest (NF)                      BLKH - Black Hills NF                      GMUG - Grand Mesa, Uncompahgre, and Gunnison NFs                      MBRTB- Medicine Bow-Routt NFs &amp; Thunder Basin National Grassland (NG)                      NEBR - Nebraska NF, Samuel R McKelvie NF &amp; Oglala, Buffalo Gap, or Fort Pierre NGs                      RIOG - Rio Grande NF                      ARP - Arapaho-Roosevelt NFs &amp; Pawnee NG                      PSICC - Pike-San Isabel NFs, Comanche or Cimarron NG                      SANJ - San Juan NF                      SHOS - Shoshone NF                      WHR - White River NF</p>	
<p>K - Species currently documented to occur on National Forest System (NFS) lands.                      L - Species or habitat is suspected to occur on NFS lands, but unconfirmed.                      P – Potential site for reintroduction of the species has been identified.                      N - Species not known or suspected to occur on NFS lands, but may occur in planning area vicinity. Evaluate indirect effects of NFS actions.</p>	
<p><b>Notes:</b> In the columns for administrative units, an entry in the first row presents distribution information for National Forests while the second row provides information for National Grasslands.</p> <p>(N/E) = Designated as a non-essential, experimental population under the ESA.                      FWS “Candidate” species are highlighted in green.                      Under Review (positive 90-day finding)</p>	
<p>Scientific names and common names follow the accepted nomenclature of Natureserve and the Integrated Taxonomic Information System (ITIS) for animals and NRCS’s PLANTS database and the ITIS for plants. In this matrix, common names are also included, with the aim of assisting understanding by non-botanists and for PLANTS database queries. Please be aware of the problems associated with the lack of standardization of common names for plants, and use them cautiously.</p>	

ADMINISTRATIVE UNIT

STATUS: **ENDANGERED**

	BIGH	BLKH	GMUG	MBR TB	NEBR	RIOG	AR P	PSI CC	SANJ	SHOS	WHR
<b>MAMMALS</b>											
<a href="#">black-footed ferret</a> <i>Mustela nigripes</i>				P	K (N/E)			K			
<a href="#">Gray wolf</a> <i>Canis lupus</i>	Endangered wherever confirmed in Region 2 <u>except</u> delisted in Wyoming										
<a href="#">New Mexico meadow jumping mouse</a> <i>Zapus hudsonius luteus</i>						L			L		
<a href="#">northern long-eared bat</a> <i>Myotis septentrionalis</i>		K		K	L						
<b>BIRDS</b>											
<a href="#">southwestern willow flycatcher</a> <i>Empidonax traillii extimus</i>						L			K		
<a href="#">whooping crane</a> <i>Grus Americana</i>				N	L L		N	N			
<b>AMPHIBIANS</b>											

<a href="#">Wyoming toad</a> <i>Bufo baxteri</i>				N							
<b>FISHES</b>											
<a href="#">bonetail</a> <i>Gila elegans</i>			N	N			N		N		N
<a href="#">Colorado pikeminnow</a> <i>Ptychocheilus lucius</i>			N	N N			N		N		N
<a href="#">pallid sturgeon</a> <i>Scaphirhynchus albus</i>				N N			N	N			
<a href="#">razorback sucker</a> <i>Xyrauchen texanus</i>			N	N N			N		N		N
<b>INVERTEBRATES</b>											
<a href="#">Uncompahgre fritillary</a> <i>Boloria acrocne</i>			K				K		L	K	L
<b>PLANTS</b>											
<a href="#">Astragalus osterhoutii</a> Osterhout milkvetch				N N			L				
<a href="#">Ipomopsis polyantha</a> Pagosa skyrocket									L		
<a href="#">Penstemon haydenii</a> blowout penstemon				L L	K						

<a href="#">Penstemon penlandii</a> Penland beardtongue				N N			N				
<a href="#">Phacelia formosula</a> North Park phacelia				N N			L				

**STATUS:**  
**THREATENED**

MAMMALS											
<a href="#">grizzly bear</a> <i>Ursus arctos horribilis</i>											K
<a href="#">Canada lynx</a> <i>Lynx canadensis</i>	L		K	K K		K	K	K	K	K	K
<a href="#">Preble's meadow jumping mouse</a> <i>Zapus hudsonius preblei</i>				K K			K	K			
BIRDS											
<a href="#">Gunnison sage-grouse (with CH)</a> <i>Centrocercus minimus</i>			K			K		K	N		

<a href="#">lesser prairie-chicken</a> <i>Tympanuchus pallidicinctus</i> (northern DPS)								K			
<a href="#">Mexican spotted owl</a> <i>Strix occidentalis lucida</i>			L			N	L	K	K		L
<a href="#">piping plover</a> <i>Charadrius melodus</i> (No. Great Plains pop.)				N			N	N			
<a href="#">yellow-billed cuckoo</a> <i>Coccyzus americanus</i> (Western US DPS only)			N	N		N	N		L	N	
<b>FISHES</b>											
<a href="#">greenback cutthroat trout</a> <i>Oncorhynchus clarki stomias</i>			(see Colo. River Cutthroat Trout (Green lineage) under Sensitive Species	(see Colo. River Cutthroat Trout (Green lineage) under Sensitive Species				K	K	(see Colo. River Cutthroat Trout (Green lineage) under Sensitive Species	(see Colo. River Cutthroat Trout (Green lineage) under Sensitive Species

<a href="#">humpback chub</a> <i>Gila cypha</i>			N	N N			N		N		N
<b>INVERTEBRATES</b>											
<a href="#">American burying beetle</a> <i>Nicrophorus americanus</i>		N				K					
<a href="#">Pawnee montane skipper</a> <i>Hesperia leonardus montana</i>								K			
<a href="#">western glacier stonefly</a> <i>Zapada glacier</i>										K	
<b>PLANTS</b>											
<a href="#">Eutrema penlandii</a> Penland alpine fen mustard / Mosquito Range mustard								K			K
<a href="#">Phacelia scopulina var. submutica</a> Debeque phacelia			K								K
<a href="#">Pinus albicaulis</a> whitebark pine										X	
<a href="#">Platanthera praeclara</a> western prairie fringed orchid				N N	L			N			

<a href="#">Rhodiola integrifolia ssp. leedyi</a> Leedy's roseroot		K									
<a href="#">Sclerocactus glaucus</a> Colorado hookless cactus			K								L
<a href="#">Spiranthes diluvialis</a> Ute ladies'-tresses orchid				L L L			N	L			K

**STATUS: PROPOSED**

<a href="#">North American wolverine</a> <i>Gulo gulo luscus</i>	L		K	L L		L	K	K	K	K	K
<a href="#">tricolored bat</a> <i>Perimyotis subflavus</i>		K		L	L	L	L	L			L
<a href="#">silverspot</a> (formerly Great Basin silverspot, or Nokomis fritillary) <i>Argynnis nokomis nokomis</i>			K			L			L		L

**STATUS: SENSITIVE**

MAMMALS											
<a href="#">American hognosed skunk</a> <i>Conepatus leuconotus</i>									K		

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">Pacific marten</a> <i>Martes caurina</i>	K	K	K	K K		K	K	K	K	K	K
<a href="#">black-tailed prairie dog</a> <i>Cynomys ludovicianus</i>		K			K K			K	K		
<a href="#">desert bighorn sheep</a> <i>Ovis canadensis nelsoni</i>			K						N		
<a href="#">fringed myotis</a> <i>Myotis thysanodes</i>	K	K	K	K K K	K K	L	K L	K K	K	K	K
<a href="#">Gunnison's prairie dog</a> <i>Cynomys gunnisoni</i>			K			K		K	K		
<a href="#">hoary bat</a> <i>Lasiurus cinereus</i>	K	K	K	K K K	K	K	K	K	K	K	K
<a href="#">kit fox</a> <i>Vulpes macrotis</i>			K						L		
<a href="#">pygmy shrew</a> <i>Sorex hoyi</i>			K	K K			K				K
<a href="#">river otter</a> <i>Lontra canadensis</i>			K	L L	L	K	K	L	K	K	K
<a href="#">Rocky Mountain bighorn sheep</a> <i>Ovis canadensis canadensis</i>	K	K	K	K K K	K K	K	K	K	K	K	K

<a href="#">Spotted bat</a> <i>Euderma maculatum</i>	L		K						K	L	K
<a href="#">swift fox</a> <i>Vulpes velox</i>		N		N N K	K		K	K			
<a href="#">Townsend's big-eared bat</a> <i>Corynorhinus townsendii</i>	K	K	K	K K K	K K	K	K	K K	K	K	K
<a href="#">water vole</a> <i>Microtus richardsoni</i>	K									K	
<a href="#">white-tailed prairie dog</a> <i>Cynomys leucurus</i>			L	K K			L			N	
<a href="#">Wyoming pocket gopher</a> <i>Thomomys clusius</i>				K							
<b>BIRDS</b>											
<a href="#">black-backed woodpecker</a> <i>Picoides arcticus</i>		K								K	
<a href="#">black swift</a> <i>Cypseloides niger</i>			K	L L		K	K	K	K		K
<a href="#">black tern</a> <i>Chlidonias niger</i>				K K	L K		K K	N		N	

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">boreal owl</a> <i>Aegolius funereus</i>	K		K	K K		K	K	K	K	K	K
<a href="#">Brewer's sparrow</a> <i>Spizella breweri</i>	K		K	K K K	K	K	K K	K K	K	K	K
<a href="#">burrowing owl</a> <i>Athene cunicularia</i>		K	N	N N K	K K	N	K K		K	N	N
<a href="#">Cassin's sparrow</a> <i>Peucaea cassinii</i>							K	K			
<a href="#">chestnut-collared longspur</a> <i>Calcarius ornatus</i>				K K K	L		K	N			
<a href="#">Columbian sharp-tailed grouse</a> <i>Tympanuchus phasianellus columbianus</i>			K	K K			L		N		L
<a href="#">ferruginous hawk</a> <i>Buteo regalis</i>		N	K	K K K	K K	L	K K		K	K	K
<a href="#">flamulated owl</a> <i>Psiloscops flammeolus</i>	L	K	K	K K L		K	K	K	K		K
<a href="#">Grace's warbler</a> <i>Setophaga graciae</i>			K			L			K		
<a href="#">grasshopper sparrow</a> <i>Ammodramus savannarum</i>	L	K		L L K	K K				L	L	

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">greater prairie-chicken</a> <i>Tympanuchus cupido</i>					K K						
<a href="#">greater sage-grouse</a> <i>Centrocercus urophasianus</i>	K			K K K			K			K	K
<a href="#">lark bunting</a> <i>Calamospiza melanocorys</i>	K			K	K		K	K K		K	
<a href="#">Lewis's woodpecker</a> <i>Melanerpes lewis</i>	K	K	K	K K K	K L	K	K L	K K	K	N	L
<a href="#">loggerhead shrike</a> <i>Lanius ludovicianus</i>	K	K	K	K K K	K K	K	K K	K K	K	K	K
<a href="#">long-billed curlew</a> <i>Numenius americanus</i>		K		K	K K		K K	K K		N	
<a href="#">thick-billed longspur</a> <i>Rhynchophanes mccownii</i> (formerly McCown's longspur)				K	K		K	K			
<a href="#">mountain plover</a> <i>Charadrius montanus</i>		N		N N K	K	L	K	N K		N	
<a href="#">northern goshawk</a> <i>Accipiter gentilis</i>	K	K	K	K K K		K	K	K	K	K	K

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">northern harrier</a> <i>Circus cyaneus</i>	K	K	K	K K K	K K	K	K K	K K	K	L	K
<a href="#">olive-sided flycatcher</a> <i>Contopus cooperi</i>	K		K	K K K		K	K K	K K	K	K	K
<a href="#">pinyon jay</a> <i>Gymnorhinus cyanocephalus</i>		K	K	K	K	K	L	K	K		K
<a href="#">purple martin</a> <i>Progne subis</i>			K	K K			K K	K	K		K
<a href="#">sagebrush sparrow</a> <i>Artemisiospiza nevadensis</i>	L		K	K K K		N		K	L		L
<a href="#">short-eared owl</a> <i>Asio flammeus</i>	L				K K			K	L	L	
<a href="#">trumpeter swan</a> <i>Cygnus buccinator</i>					K K		K			K	
<a href="#">Virginia's warbler</a> <i>Leiothlypis virginiae</i>	K	K	K	K K		K	K	K K	K		K
<a href="#">white-tailed ptarmigan</a> <i>Lagopus leucura</i>			K	K K		K	K	K	K		K
<b>AMPHIBIANS</b>											

<a href="#">Columbia spotted frog</a> <i>Rana luteiventris</i> (Bighorn Mtn. pop.)	K									K	
<a href="#">northern leopard frog</a> <i>Lithobates pipiens</i>	K	K	K	K K K	K K	L	K K	K	K	K	K
<a href="#">plains leopard frog</a> <i>Lithobates blairi</i>						L		K			
<a href="#">western (boreal) toad</a> <i>Anaxyrus boreas</i>			K	K K		K	K	K	L	K	K
<a href="#">wood frog</a> <i>Lithobates sylvatica</i>	K			K K			K				
<b>REPTILES</b>											
<a href="#">Black Hills redbelly snake</a> <i>Storeria occipitomaculata pahasapae</i>		K									
<b>FISHES</b>											

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">bluehead sucker</a> <i>Pantosteus discobolus</i>			K	N N					K		K
<a href="#">Colorado River cutthroat</a> <i>Oncorhynchus clarkii pleuriticus</i>			K (Green and Blue lineages)	K K (Green lineage)			K (Green lineage)	K (Green lineage)	K (Green, Blue, and San Juan lineages)		K (Green lineage)
<a href="#">finescale dace</a> <i>Chrosomus neogaeus</i>		K		L	L L						
<a href="#">flannelmouth sucker</a> <i>Catostomus latipinnis</i>			K	N N			L		K		K
<a href="#">flathead chub</a> <i>Platygobio gracilis</i>				K	K K				K		
<a href="#">hornyhead chub</a> <i>Nocomis biguttatus</i>				K K							
<a href="#">lake chub</a> <i>Couesius plumbeus</i>		K		K			L			K	
<a href="#">mountain sucker</a> <i>Pantosteus platyrhynchus</i>	K	K	K	K K K			K			K	K

<sup>1</sup> Blue Lineage populations are a unique genetic lineage of Colorado River cutthroat trout native to the west slope of the White, Yampa, Green, and downstream Colorado River drainages; Green Lineage populations of Colorado River cutthroat trout are native to Gunnison and Dolores River drainages and Colorado River headwaters; the San Juan lineage was believed extinct until rediscovered in 2018 and native to the San Juan River drainage of southwestern Colorado and New Mexico.

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#">northern redbelly dace</a> <i>Chrosomus eos</i>		N			N		N				
<a href="#">northern pearl dace</a> <i>Margariscus nachtriebi</i>					L						
<a href="#">plains minnow</a> <i>Hybognathus placitus</i>		N			L K						
<a href="#">plains topminnow</a> <i>Fundulus sciadicus</i>					K L		L K				
<a href="#">Rio Grande chub</a> <i>Gila pandora</i>						K					
<a href="#">Rio Grande cutthroat trout</a> <i>Oncorhynchus clarkii virginalis</i>						K					
<a href="#">Rio Grande sucker</a> <i>Pantosteus plebeius</i>						K					
<a href="#">roundtail chub</a> <i>Gila robusta</i>			K	N N					K		K
<a href="#">southern redbelly dace</a> <i>Chrosomus erythrogaster</i>									N		
<a href="#">sturgeon chub</a> <i>Macrhybopsis gelida</i>		N			K	K					
<a href="#">Yellowstone cutthroat</a> <i>Oncorhynchus clarkii bouveri</i>	K				K K					K	

MOLLUSCS											
<a href="#">Cooper's Rocky Mountain snail/Black Hills mountainsnail</a> <i>Oreohelix strigosa cooperi</i>	K	K				N					
<a href="#">pygmy mountainsnail</a> <i>Oreohelix pygmaea</i>	K										
<a href="#">Rocky Mountain capshell</a> <i>Acroloxus coloradensis</i>				K K			K				
INSECTS											
<a href="#">Arogos skipper</a> <i>Atrytone arogos</i>	L	K		K K	K		K K	L L			
<a href="#">Hudsonian emerald</a> <i>Somatochlora hudsonica</i>				K K			K	L		K	
<a href="#">monarch</a> <i>Danaus plexippus</i>	L	K	L	L L	L	L	K L	L L	L	L	L
<a href="#">Ottoe skipper</a> <i>Hesperia ottoe</i>		L		L L	L L			L			
<a href="#">regal fritillary</a> <i>Speyeria idalia</i>		K		L L	K K		L				

<a href="#">Susan's purse making caddisfly</a> <i>Ochrotrichia susanae</i>								K			
<a href="#">western bumble bee</a> <i>Bombus occidentalis</i>	L	K	K	L L	L	K	L L	L L	L	L	L
<b>PLANTS – Non-vascular</b>											
<a href="#">Sphagnum angustifolium</a> Sphagnum			K	K K		K		K	K		K
<a href="#">Sphagnum balticum</a> Baltic sphagnum			L					L	K		L
<b>PLANTS – Ferns &amp; Allies</b>											
<a href="#">Botrychium ascendens</a> triangleglobe moonwort	K						L	K		K	K
<a href="#">Botrychium campestre</a> Iowa, or prairie moonwort		L					K L				
<a href="#">Botrychium paradoxum</a> peculiar moonwort	K		K	L							
<a href="#">Lycopodium complanatum</a> groundcedar		K									
<a href="#">Selaginella selaginoides</a> club spikemoss				L L							

PLANTS – ANGIOSPERMS: Monocots											
<a href="#"><u>Amerorchis rotundifolia</u></a> roundleaf orchid										K	
<a href="#"><u>Calochortus flexuosus</u></a> winding mariposa lily						L					
<a href="#"><u>Carex alopecoidea</u></a> foxtail sedge		K									
<a href="#"><u>Carex diandra</u></a> lesser panicled sedge	K		K	K K	K		K	L	K	K	K
<a href="#"><u>Carex livida</u></a> livid sedge			K	K K			K	K		K	L
<a href="#"><u>Cypripedium montanum</u></a> mountain lady's slipper	K										
<a href="#"><u>Cypripedium parviflorum</u></a> lesser yellow lady's slipper	K	K		K		L	K	K	K		K
<a href="#"><u>Eleocharis elliptica</u></a> elliptic, or slender spikerush				K							
<a href="#"><u>Epipactis gigantea</u></a> giant helleborine, or stream orchid		K						N L	K		L, P

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#"><i>Eriophorum chamissonis</i></a> Chamisso's bristlegrass, or Chamisso's cottongrass	K		K					L	K	K	K
<a href="#"><i>Eriophorum gracile</i></a> slender bristlegrass, or slender cottongrass	K		K	K K	K L		K	K	K	K	K
<a href="#"><i>Festuca hallii</i></a> plains rough fescue	L			K L			K	K		K	
<a href="#"><i>Kobresia simpliciuscula</i></a> simple bog sedge			K	L L			K	K		K	K
<a href="#"><i>Liparis loeselii</i></a> yellow widelip orchid					K						
<a href="#"><i>Malaxis monophyllos</i> <i>var. brachypoda</i></a> white adder's-mouth orchid				L L			L	K			
<a href="#"><i>Platanthera orbiculata</i></a> lesser roundleaved orchid		K									
<a href="#"><i>Ptilagrostis porteri</i></a> Porter's false needlegrass								K			K
<a href="#"><i>Schoenoplectus hallii</i></a> Hall's bulrush					L						
<a href="#"><i>Triteleia grandiflora</i></a> largeflower triteleia				L					K		

PLANTS – ANGIOSPERMS: <i>Dicots</i>											
<a href="#"><i>Aliciella sedifolia</i></a> stonecrop gilia			K			K			K		
<a href="#"><i>Aquilegia chrysantha</i> var. <i>rydbergii</i></a> Rydberg's golden columbine								K			
<a href="#"><i>Aquilegia laramiensis</i></a> Laramie columbine				K							
<a href="#"><i>Armeria maritima</i> ssp. <i>sibirica</i></a> Siberian sea thrift				L L			L	K			K
<a href="#"><i>Asclepias uncialis</i></a> wheel milkweed							K		K		
<a href="#"><i>Astragalus barrii</i></a> Barr's milkvetch				K		K					
<a href="#"><i>Astragalus iodopetalus</i></a> violet milkvetch									K		
<a href="#"><i>Astragalus leptaleus</i></a> park milkvetch			K	K L			L	L			K
<a href="#"><i>Astragalus missouriensis</i> var. <i>humistratus</i></a> Missouri, or Archuleta milkvetch									K		

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#"><i>Astragalus proximus</i></a> Aztec milkvetch									K		
<a href="#"><i>Astragalus ripleyi</i></a> Ripley's milkvetch						K					
<a href="#"><i>Braya glabella</i></a> smooth northern- rockcress			K					K			K
<a href="#"><i>Chenopodium cycloides</i></a> sandhill goosefoot							K	K			
<a href="#"><i>Cuscuta plattensis</i></a> prairie, or Wyoming dodder					K						
<a href="#"><i>Descurainia torulosa</i></a> Wyoming, or Wind River tansymustard										K	
<a href="#"><i>Draba exunquiculata</i></a> clawless, or Garys Peak draba				L L			K	K			K
<a href="#"><i>Draba grayana</i></a> Gray's draba				L L		K	K	K			K
<a href="#"><i>Draba smithii</i></a> Smith's draba						K		K	K		
<a href="#"><i>Drosera anglica</i></a> English sundew	K								K	K	
<a href="#"><i>Drosera rotundifolia</i></a> roundleaf sundew			K	K K			K	L			L

<a href="#"><i>Eriogonum brandegeei</i></a> Brandegee's buckwheat								N			
<a href="#"><i>Eriogonum exilifolium</i></a> dropleaf buckwheat				K			K				
<a href="#"><i>Eriogonum visherii</i></a> Visher's buckwheat				K	K						
<a href="#"><i>Gaura neomexicana</i></a> <a href="#"><i>ssp. coloradensis</i></a> Colorado butterfly plant							N				
<a href="#"><i>Gutierrezia elegans</i></a> Lone mesa snakeweed									K		
<a href="#"><i>Ipomopsis aggregata</i></a> <a href="#"><i>ssp. weberi</i></a> scarlet gilia				K K			L				
<a href="#"><i>Lesquerella fremontii</i></a> Fremont's bladderpod										K	
<a href="#"><i>Lesquerella pruinosa</i></a> Pagosa Springs bladderpod									K		
<a href="#"><i>Mimulus gemmiparus</i></a> Rocky Mountain, budding, or Weber monkeyflower				L L			K	K			
<a href="#"><i>Neoparrya lithophila</i></a> Bill's neoparrya						K		K			
<a href="#"><i>Oreoxis humilis</i></a> Pikes Peak alpineparsley								K			

ROCKY MOUNTAIN REGION - TEPS SPECIES

Latest update 3/30/2023

<a href="#"><u>Packera mancosana</u></a> Mancos shale packera									K		
<a href="#"><u>Parnassia kotzebuei</u></a> Kotzebue's grass of Parnassus	K			L L			K	K	K	K	K
<a href="#"><u>Penstemon absarokensis</u></a> Absaroka, or Absaroka Range beardtongue										K	
<a href="#"><u>Penstemon caryi</u></a> Cary's beardtongue	K										
<a href="#"><u>Penstemon degeneri</u></a> Degener's beardtongue								K			
<a href="#"><u>Penstemon harringtonii</u></a> Harrington's beardtongue				K L			L				K
<a href="#"><u>Physaria didymocarpa ssp. lanata</u></a> common twinpod	K										
<a href="#"><u>Physaria pulvinata</u></a> cushion bladderpod									K		
<a href="#"><u>Physaria scrotiformis</u></a> silver, or west silver bladderpod						K			K		
<a href="#"><u>Potentilla rupincola</u></a> rock, or Rocky Mountain cinquefoil							K	K			
<a href="#"><u>Primula egaliksensis</u></a> Greenland primrose								K		K	

<a href="#"><u>Pyrocoma carthamoides var. subsquarrosa</u></a> largeflower goldenweed										K	
<a href="#"><u>Pyrocoma clementis var. villosa</u></a> tranquil goldenweed	K									K	
<a href="#"><u>Pyrocoma integrifolia</u></a> many-stemmed goldenweed										K	
<a href="#"><u>Ranunculus grayi</u></a> ice cold buttercup			K	L L			K	K		K	K
<a href="#"><u>Rubus arcticus ssp. acaulis</u></a> dwarf raspberry	K		K	K L			K	K			L
<a href="#"><u>Salix arizonica</u></a> Arizona willow						K			L		
<a href="#"><u>Salix barrattiana</u></a> Barratt's willow										K	
<a href="#"><u>Salix candida</u></a> sageleaf, or sage willow		K	K	K L		L	K	K	K		L
<a href="#"><u>Salix myrtilifolia</u></a> blueberry willow								K		K	
<a href="#"><u>Salix serissima</u></a> autumn willow		K		K L			L	K			L
<a href="#"><u>Sanguinaria canadensis</u></a> bloodroot		K									

<a href="#"><u>Shoshonea pulvinata</u></a> Shoshone carrot										K	
<a href="#"><u>Thalictrum heliophilum</u></a> Cathedral Bluff meadow-rue			K								K
<a href="#"><u>Townsendia condensata</u></a> cushion Townsend daisy										K	
<a href="#"><u>Utricularia minor</u></a> lesser bladderwort	K	?	K	K K	K		K	L	K	K	L
<a href="#"><u>Viburnum opulus var. americanum</u></a> American cranberrybush, or mooseberry		K		K							L
<a href="#"><u>Viola selkirkii</u></a> Selkirk's violet		K		L L			L	K			
<a href="#"><u>Xanthisma coloradoense</u></a> Colorado tansyaster			K	K L		K		K	K		K